

**Amendment One To:**  
**Request for Quotes**  
**RFx No. 3140000627**  
**Smart No. 1450-16-R-RFQI-00011**  
**Artificial Reef Staging Site Bulkhead**

MISSISSIPPI DEPARTMENT OF MARINE RESOURCES  
1141 BAYVIEW AVENUE  
BILOXI, MISSISSIPPI 39530

Contact: Erin Gallagher – [Procurement@dmr.ms.gov](mailto:Procurement@dmr.ms.gov)

***THIS IS AMENDMENT ONE TO REQUEST FOR QUOTES. YOU MUST ACKNOWLEDGE THIS AND ALL FUTURE AMENDMENTS ON THE AMENDMENT DOCUMENT BY SIGNING, DATING AND RETURNING SAME WITH YOUR QUOTE SUBMISSION OR, IF YOUR QUOTE HAS ALREADY BEEN SUBMITTED, BY LETTER. YOUR ACKNOWLEDGMENT OF ALL AMENDMENTS MUST BE RECEIVED BY THE MDMR BY THE TIME FOR RECEIPT OF QUOTES.***

The purpose of Amendment One is to provide:

- 1.) Required dimensions to the Minimum Material Specifications in Section 3 of the Scope of Work. All added language is **underlined** below;
- 2.) Add clear language about the pre-quote meeting.

Mississippi Department of Marine Resources Artificial Reef Staging Site Bulkhead

<b>Member/Location</b>	<b>Dimensions</b>	<b>Lumber Grade</b>	<b>Use Category</b>	<b>Preservative Retention Level and Treatment</b>
Timber Face Piling	<u>12" Butt</u> <u>40 Foot</u> <u>Length</u>	ASTM D25 Round Piling	UC5C	2.5 pcf Chromated Copper Arsenate
Wale Beam	<u>4"x8"x16'</u>	No. 1 Marine Grade	UC5C	2.5 pcf Chromated Copper Arsenate
Sheet Piling (Sheeting)	<u>3"x10"x20'</u>	No. 1 Marine Grade	UC5C	2.5 pcf Chromated Copper Arsenate
Bulkhead Cap	<u>3"x10"x16'</u>	No. 1 Marine Grade	UC5C	2.5 pcf Chromated Copper Arsenate

- High Grade Filter Cloth to cover back of the Bulkhead.
- All fasteners and rods must be hot dipped galvanized per ASTM A-153 with two (2) ounces on zinc per square foot or be corrosion resistant. Anchor Rods used in this project must be a minimum of three-fourth inches (¾") in diameter.

- A pre-quote site meeting will be held at the MDMR Staging Site in Gulfport, Mississippi (See Attachment B-Directions) on Monday, June 13, 2016 at 10:00 a.m. CST. The contractor or contractor's designee are **strongly urged** to attend this meeting. Failure to visit the site will in no way relieve the successful contractor from furnishing any materials or performing any work required to complete work in accordance with the scope of work without additional cost to the contractor. **This will be the only opportunity for contractors to visit the MDMR Staging Site for this project.**

***All questions must be received no later than Tuesday, June 14, 2016 at 4:00 p.m. CST.***

***All responses to questions received will be posted no later than Thursday, June 16, 2016 at 4:00 p.m. CST.***

**The undersigned acknowledges receipt of this Amendment One (Questions and Answers) issued on June 7, 2016 to: Request for Quotes Artificial Reef Staging Site Bulkhead.**

---

Name and Title

---

Signature and Date